

**Full-Automatic tunnel wash machine for parts of motorbike,
automobile and locomotive**



Product Information

Heating	Constant temperature heating
Accessories	Lid, inlet valve, drain valve
Voltage/Power Supply	220v/380v/415v/440v optional
Material	Stainless steel
Applications	Carbon clean; oil, grease, fouls clean; cutting liquids, metal particles, dirties clean
Timer/ Temperature	Digital
Spray range	All dimensional
Spray pressure	Adjustable
Filtration system	Four-stage completely circulating filtration
Optional function	Spray cleaning, spray rinsing; air cut, hot air drying, cooling; demist

Advantages	High efficiency;high reliability; energy saving;cleaning completely;environment protective
------------	--

ADVANTAGES >>


- 1.PLC & Touch screen auto control system, all orientation spray cleaning, upper and downside , with functions as throwing, ultrasonic, bubbling, air cutting, drying, rustproof and advanced demisting system.
- 2.Famous brand mesh belt transmission, durable for long time service life.
3. Automatic loading and feeding, with Photoelectric sensor for unloading. It is available for the cleaning machine be connected with the production line, thus to realize unmanned operation.
- 4.Fitted with three-stage (four-stage) circulating filtration system to ensure the cleanliness of the cleaning fluid, oil/grease or particles completely separation and collection, thus to ensure the good cleaning effect.
- 5.Automatic oil removal and sediment collection/filtration system.
- 6.Isolation section fitted between the spray cleaning and spray rinsing, thus to prevent liquid channeling.
- 7.Automatic rehydration, storage tank double insulation, energy conservation and environmental protection.
8. Stepless and variable speed of transmission;
- 9.Stronger universality, higher cleanliness and easy operation.

PRODUCTS DISPLAY





CLEANING PARTS GALARY



CUSTOMER SITE

